
# Final Report for "B503962-ATLAS"

J. Dongarra

July 1, 2001



### **DISCLAIMER**

This document was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor the University of California nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or the University of California, and shall not be used for advertising or product endorsement purposes.

This work was performed under the auspices of the U. S. Department of Energy by the University of California, Lawrence Livermore National Laboratory under Contract No. W-7405-Eng-48.

This report has been reproduced directly from the best available copy.

Available electronically at <a href="http://www.doe.gov/bridge">http://www.doe.gov/bridge</a>

Available for a processing fee to U.S. Department of Energy and its contractors in paper from U.S. Department of Energy Office of Scientific and Technical Information P.O. Box 62

Oak Ridge, TN 37831-0062 Telephone: (865) 576-8401 Facsimile: (865) 576-5728 E-mail: reports@adonis.osti.gov

Available for the sale to the public from U.S. Department of Commerce National Technical Information Service 5285 Port Royal Road Springfield, VA 22161 Telephone: (800) 553-6847 Facsimile: (703) 605-6900

E-mail: <u>orders@ntis.fedworld.gov</u>
Online ordering: <u>http://www.ntis.gov/ordering.htm</u>

OR

Lawrence Livermore National Laboratory
Technical Information Department's Digital Library
http://www.llnl.gov/tid/Library.html

University of Tennessee Computer Science Department Knoxville, TN 37996

# Final Report for "B503962- ATLAS"

Submitted by: Jack Dongarra Professor

### FINAL REPORT

May 31, 2001

### Prepared for:

University of California Lawrence Livermore National Laboratory Attn: Jill Dunaway P.O. Box 808, L-561 Livermore, CA 94551

*Under* B503962

Date prepared July 1<sup>st</sup>, 2001

#### DISCLAIMER

This document was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor the University of California nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or the University of California, and shall not be used for advertising or product endorsement purposes. Work performed under the auspices of the U.S. Department of Energy by Lawrence Livermore National Laboratory under Contract W-7405-ENG-48.

# LLNL Subcontract B503962 ATLAS

### Jack Dongarra

### 1. Project Overview

Determining and characterizing the effectiveness of run-time optimization techniques is particularly relevant to modern sparse linear algebra software libraries that tend to hide from the user the internal storage format. For instance, a certain storage structure may dictate a particular algorithmic approach. Once a general scheme of access has been found based on a storage structure, one promising idea involves analyzing the sparsity pattern of the matrix operand to find places where the efficient static optimization techniques may be re-used. There are numerous ways in which this can be done, and it is almost certain that there will be no provably best way. In this case, it will also be necessary to search the space of available options during run-time.

We have experimented with a variety of techniques for optimizing sparse matrix vector multiplication to take instruction sets, functional units, and memory hierarchies into account on the Power 3 architecture. Sparse matrix-vector multiplication is of course the inner loop in any iterative solver, even multigrid, since it includes all the interpolation, restriction, and smoothing operations. The structural properties of the application leads to sparse matrices that feature a sufficiently regular pattern, so that the automatic optimization techniques already integrated in ATLAS can be successfully re-used and applied to generate the appropriate basic sparse linear algebra kernels needed in many applications. Our plan for achieving the necessary and exceptionally high degree of portability and optimization leverages the experience of our team in developing ATLAS technology.

- 2. Papers and Book Chapters Supported in Part by the Subcontract:
  - 1. Automated Empirical Optimization of Software and the ATLAS Project, R. Whaley, A. Petitet, and Jack Dongarra, Parallel Computing, Volume 27, Numbers 1-2, pp 3-25, 2001, ISSN 0167-8191.
  - 2. Iterative Solver Benchmark, Jack Dongarra, Victor Eijkhout, Henk van der Vorst, submitted to Scientific Programming, January 2001.

### 3. Project Highlight

We participated in the "ASCI ITS Short Course, Power Programming", held at LLNL on May 15th 2000. Clint Whaley, from the University of Tennessee, presented a 1.5-hour tutorial on the "Fundamentals of High Performance Programming". This was tutorial material on how and when to do hand optimization of floating point rich codes, and on how differing architectures require different optimizations.

We have developed a version of the Linpack Benchmark tuned to the hardware of the ASCI BLUE hardware of the ASCI BLUE Pacific system. It was our goal to produce the fastest implementation that will take advantage of the hardware and software infrastructure on the BLUE Pacific machine in achieving this mark. In order to accomplish this goal, our team has

drawn on the expertise in this field developed with our work on the ScaLAPACK and ATLAS projects. We have been collaborating with researchers at LLNL to produce software for the Linpack benchmark that is fully optimized for the ASCI-Blue Pacific system.

## 4. Concluding Remarks

I have attached to this email copies of the papers supported under this effort.